

Appendices

Table A Potentially Occurring Special-Status Species in the Lemoore Planning Area

Scientific Name Common Name	Listing Status Federal/State /CNPS	General Habitat	Potential for Occurrence
Plants			
<i>Atriplex depressa</i> Brittlescale	--/--/1B	Alkali scrub, meadows and seeps, playas, valley and foothill grassland, and vernal pools with alkaline and clay soils up to 1,100 feet in elevation. Blooms May-Oct.	Medium. The Project Area contains potentially suitable habitat and is within the range of this species.
<i>Lepidium jaredii</i> spp. <i>Album</i> Panoche pepper-grass	--/--/1B	Grassland in alluvial fans, washes. Blooms February to June.	Medium. The Project Area contains potentially suitable habitat and is within the range of this species.
<i>Delphinium recurvatum</i> Recurved larkspur	--/--/1B	Chenopod scrub, cismontane woodland, and in alkaline substrate in valley and foothill grassland up to 2,500 feet in elevation. Blooms Mar-May.	Medium. The Project Area contains potentially suitable habitat and is within the range of this species.
Animals			
Fish			
<i>Hypomesus transpacificus</i> Delta smelt	FT/ST/--	Delta estuaries with dense aquatic vegetation and low occurrence of predators. May be affected by downstream sedimentation.	Unlikely. The Project Area is outside of the species range; however, impacts to water quality may affect downstream populations of this species.
Invertebrates			
<i>Cicindela tranquebarica</i> n. ssp San Joaquin tiger beetle	--/--/--	Usually found in clay or sandy soils, including sand dunes, prairies, alkali flats, gravel pits, eroded slopes, beaches, and roads.	Medium. The Project Area contains potentially suitable habitat and is within the range of this species.
<i>Desmocerus californicus dimorphus</i> Valley elderberry longhorn beetle	FT/--/--	Breeds and forages exclusively on blue elderberry shrubs (<i>Sambucus mexicana</i>) below 3,000 feet in elevation.	Medium. The Project Area contains potentially suitable habitat and is within the range of this species.
Amphibians			
<i>Rana aurora draytonii</i> California red-legged frog	FT/CSC/--	Breeds in slow moving streams, ponds, and marshes with emergent vegetation; forages in nearby uplands within about 200 feet.	Medium. The Project Area contains potentially suitable habitat and is within the range of this species.

Table A Potentially Occurring Special-Status Species in the Lemoore Planning Area

Scientific Name Common Name	Listing Status Federal/State /CNPS	General Habitat	Potential for Occurrence
<i>Spea</i> (=Scaphiopus) <i>hammondii</i> Western spadefoot toad	--/CSC/--	Occurs seasonally in grasslands, prairies, chaparral, and woodlands, in and around wet sites. Breeds in shallow, temporary pools formed by winter rains. Takes refuge in burrows.	Medium. The Project Area contains potentially suitable habitat and is within the range of this species.
Reptiles			
<i>Emys</i> (=Clemmys) <i>marmorata</i> Western pond turtle	--/CSC/--	Ponds, marshes, rivers, streams, and irrigation ditches with aquatic vegetation. Requires basking sites and suitable upland habitat for egg-laying. Nest sites most often characterized as having gentle slopes (<15%) with little vegetation or sandy banks.	High. The Project Area contains potentially suitable habitat and is within the range of this species.
<i>Gambelia</i> (=Crotaphytus) <i>silae</i> Blunt-nosed leopard lizard	FE/SE/--	Occurs in open, valley and foothill grasslands, valley saltbush scrub, and alkali playa communities of the San Joaquin Valley, Carrizo Plain, and Cuyama Valley. Uses small mammal burrows for refuge.	Medium. The Project Area contains potentially suitable habitat and is within the range of this species.
<i>Thamnophis</i> <i>gigas</i> Giant garter snake	FT/ST/--	Generally inhabits marshes, sloughs, ponds, slow-moving streams, ditches, and rice fields which have water from early spring through mid-fall, emergent vegetation (such as cattails and bulrushes), open areas for sunning, and high ground for hibernation and escape cover.	Medium. The Project Area contains potentially suitable habitat and is within the range of this species
Birds			
<i>Agelaius</i> <i>tricolor</i> Tricolored blackbird (nesting colony)	--/CSC/--	Largely endemic to California, most numerous in the Central Valley and nearby vicinity. Requires open water, protected nesting substrate, and foraging grounds within vicinity of the nesting colony. Nests in dense thickets of cattails, tules, willow, blackberry, wild rose, and other tall herbs near fresh water. Also nests in crops such as silage.	High. The Project Area contains potentially suitable habitat and is within the range of this species. Previous occurrence in wetland complex noted (Urban Futures 1997).

Table A Potentially Occurring Special-Status Species in the Lemoore Planning Area

<i>Scientific Name</i> <i>Common Name</i>	<i>Listing Status</i> <i>Federal/State</i> <i>/CNPS</i>	<i>General Habitat</i>	<i>Potential for Occurrence</i>
<i>Athene cunicularia</i> Burrowing owl (burrow sites)	--/CSC/--	Forages in open plains, grasslands, and prairies; typically nests in abandoned small mammal burrows.	High. The Project Area contains potentially suitable habitat and is within the range of this species. A large population occurs at the Lemoore NAS.
<i>Buteo swainsoni</i> Swainson's hawk (nesting)	--/ST/--	Forages in open plains, grasslands, and prairies; typically nests in trees or large shrubs.	High. CNDDB contains a record of this species within the Project Area.
<i>Buteo regalis</i> Ferruginous hawk (wintering)	--/CSC/--	Wintering grounds consist of open grasslands.	High. The Project Area contains potentially suitable habitat and is within the range of this species. A previous occurrence of this species was noted in the Planning Area (Urban Futures 1997).
<i>Circus cyaneus</i> Northern harrier	--/CSC/--	Nests in wet meadows and tall grasslands, forages in grasslands and marshes.	High. The Project Area contains potentially suitable habitat and is within the range of this species. A previous occurrence of this species was noted in the wetland complex (Urban Futures 1997)
<i>Elanus leucurus</i> White-tailed (=black shouldered) kite (nesting)	FSC/CFP/--	Forages in open plains, grasslands, and prairies; typically nests in trees.	High. The Project Area contains potentially suitable habitat and is within the range of this species. A previous occurrence of this species was noted in the wetland complex (Urban Futures 1997)
<i>Grus canadensis tabida</i> Greater sandhill crane (nesting & wintering)	--/ST,CFP/--	Winters in the Central Valley within annual and perennial grasslands, croplands, and freshwater emergent wetlands.	Medium. The Project Area contains potentially suitable habitat and is within the range of this species.
<i>Charadrius alexandrinus nivosus</i> Western snowy plover	FT/CSC/--	Sandy beaches on marine and estuarine shores - requires sandy, gravelly, or friable soils for nesting.	Low. The Project Area contains little if any potentially suitable habitat for this species.
<i>Nycticorax nycticorax</i> Black-crowned night heron	--/--/--	Forage in open water habitats (fresh, brackish, and salt) and occasionally in agricultural areas. Nest in trees, riparian or otherwise or in marshes.	Medium. The Project Area contains potentially suitable habitat and is within the range of this species.

Table A Potentially Occurring Special-Status Species in the Lemoore Planning Area

Scientific Name Common Name	Listing Status Federal/State /CNPS	General Habitat	Potential for Occurrence
Mammals			
<i>Dipodomys nitratooides nitratooides</i> Tipton kangaroo rat	FE/SE/--	Prefers woody shrubs and a ground cover dominated by introduced and native grasses and forbs. Burrows are commonly located in slightly elevated mounds, road berms, canal embankments, railroad beds, and bases of shrubs and fences. Soft soils, such as fine sands and sandy loams, and powdery soils of finer texture and of higher salinity.	High. CNDDDB contains a record of this species within the Project Area. The Project Area contains potentially suitable habitat and is within the range of this species.
<i>Dipodomys nitratooides exilis</i> Fresno kangaroo rat	FE/SE/--	Subspecies of San Joaquin kangaroo rat. In sandy and saline sandy soils in annual valley grassland, chenopod scrub, alkali sink communities. Needs open/sparse vegetation, loose soils.	Medium. The Project Area contains potentially suitable habitat and is within the range of this species.
<i>Lasiurus cinereus</i> Hoary bat	--/CSC/--	Roosts primarily in crevices within cliffs and canyons, occasionally in buildings. Primarily feeds on moths. Maternity colonies active May through July.	Medium. The Project Area contains potentially suitable habitat and is within the range of this species.
<i>Vulpes macrotis mutica</i> San Joaquin kit fox	FE/ST/--	Occurs in native valley and foothill grasslands and chenopod scrub communities of the valley floor and surrounding foothills. Prefers open level areas with loose-textured soils supporting scattered, shrubby vegetation and little human disturbance.	High. CNDDDB contains a record of this species within the Project Area.
Notes:		SE = Listed as Endangered by the State of California	
I. Status Codes:		CFP = California Fully Protected	
Federal: (U.S. Fish and Wildlife Service)		SR = Listed as Rare by the State of California (plants only)	
FC = Candidate for Federal Listing		CSC = California Species of Special Concern	
FD = Federal Delisted		ST = Listed as Threatened by the State of California	
FE = Listed as Endangered by the Federal Government		-- = No listing	
FPD = Federal Proposed for Delisting			
FPT = Proposed for Listing as Threatened		CNPS: (California Native Plant Society)	
FSC = Federal Species of Special Concern		List 1A = Presumed extinct in California	
FT = Listed as Threatened by the Federal Government		List 1B = Plants rare, threatened, or endangered in California and elsewhere	
SLC = Species of Local Concern		List 2 = Plants rare, threatened, or endangered in Cali-	
-- = No listing			

State: (California Department of Fish and Game)

California but more common elsewhere

-- = No listing

2. The "Potential for Occurrence" category is defined as follows:

Unlikely: The Project site and/or immediate area do not support suitable habitat for a particular species or the Project site is outside of the species' known range.

Low Potential: The Project site and/or immediate area only provide limited habitat for a particular species. In addition, the known range for a particular species may be outside of the Plan Area.

Medium Potential: The Project site and/or adjacent areas that could be affected by the Project provide suitable habitat for a particular species, but the species has not been documented in the Plan Area.

High Potential: The Project site and/or immediate area provide ideal habitat conditions for a particular species, and/or the species has been documented in the Plan Area.

Source: U.S. Fish and Wildlife Service 2007; California Natural Diversity Database, 2007; California Native Plant Society 2007; Dyett & Bhatia, 2007.

Table B LUFT, Toxic Release, and SLIC Sites in the Planning Area

Name	Location
<i>LUFT sites¹</i>	
7-Eleven #16373	1110 N Lemoore Ave
Ann Keyes Property	245 E St
Beacon Station #3383	342 Fox St
Buy-N-Split Market	500 19-1/2 Ave
City Of Lemoore, Corp Yard	41 Cinnamon Dr
Continental Auto Exchange	100 19-1/2 Ave
Downtown Auto Supply	405 W D St
Food King Market	1135 Bush St
Former Gomez Market	533 Hill St
K & H Liquor	49 E D St
Kings County Public Works Yard	18324 Iona Ave
Lambert, Howard	327 N Lemoore Ave
Tosco - Facility #6004	286 N Lemoore Ave
<i>Toxic Release²</i>	
Cemex Lemoore	1000 S 19th Ave
Leprino Foods Company	490 F St
<i>SLIC³</i>	
Machado Dusters - Lemoore	557 E Deodar Ln

Note:

1. RWQCB listed Leaking Underground Fuel Tanks.
2. Facilities regulated by the USEPA that release toxic substances into the environment.
3. RWQCB listed Spills, Leaks, Investigations, and Cleanups sites.
4. Facilities regulated by the USEPA that release pollutants into the air.

Sources: SWRCB Geotracker website: <http://geotracker.swrcb.ca.gov>; EPA Enviro/RCRA website: <http://www.epa.gov/enviro/index.html>; Dyett and Bhatia, 2007